



**faytech**, nice touch.

YOUR  
**TOUCH-DEVICE**  
SPECIALIST

2022 CATALOGUE




## Who we are

With strong Research & Development teams in both Germany and China, faytech has the ability to innovate. We make sure the products we develop are always at the technical forefront.

In addition to the SGS guided ISO 9001:2015 certification of both our production plants in China, faytech's products have certifications which also comply with quality control anywhere on the globe.



# The faytech quality



## OUR EXPERTISE

INDUSTRIAL, ATM/POS, AUTOMATION,  
MEDICAL, MACHINE CONTROL, BUILDING  
AUTOMATION, DIGITAL SIGNAGE,  
TRANSPORTATION.

- ✓ All products have CE, FCC and RoHS certifications before included in our portfolio.
- ✓ faytech's quality department complies with IATF 16949.
- ✓ Some products also comply with special directives, such as E-Mark and EN 60601-1 Medical certificates.

# History

12+ years production in Shenzhen


faytech has its roots in Germany. Arne Weber, the founding manager of faytech, started to develop and market electronic devices in **2001**.

Later in **2006**, the today called faytech AG started to import touch displays in Germany. Within three years, the German corporation became the leading touch device supplier in Germany in this niche.

In **2009**, the management team moved to Shenzhen to start its own production facility in China and right after, faytech Tech. Co., Ltd. was founded.

In **2010**, faytech began to produce touch PCs in its own factory for the first time. Today all offered touch devices are solely designed and manufactured by faytech AG.

# 02




# CORE COMPETENCIES

## TOUCH-TECHNOLOGY

*Capacitive & Resistive Touch technology.*

R&D teams in Germany and China further develop the touch technology to enhance the user-experience.



## OPTICAL BONDING EXPERTISE

*In-house class 100, 1,000 and 10,000 cleanrooms.*

Production of own Optical Bonding formula (CLEAR-BOND) with the best properties available to date.

## CUSTOM-MADE PROJECTS

*Flexibility and adapted solutions.*

Being in control of all value chain allows us to tailor the projects on your needs. All customization options are possible i.e. case design, connectors, coating, CPU or added peripherals.



## RELIABLE QUALITY & PRICING

*Two production plants in China.*

The highest quality material & reasonable pricing for cell design, assembly, backlight design, cover glass production, touch sensor lamination, mainboard design and optical bonding.

# 4 PRODUCTS PORTFOLIO

## 1 TOUCH MONITORS

Capacitive Touch Monitors, Open Frame Capacitive Touch Monitors and IP65 Touch Monitors with All-In-One Cable.

## 2 TOUCH PC

Capacitive / Embedded Touch PCs and Resistive Touch PC.

## 3 SPECIAL PRODUCTS

Digital Signage & Kiosk Solutions, Industrial Tablet, Hygienic Solutions, Interactive Mirror, faytech Flat and Easy Shopper.

# 1. TOUCH MONITORS

## CAPACITIVE TOUCH MONITORS

Modern sleek look with flat edge to edge glass IP65 water and dust proof front panels. This device has capacitive 10-finger multi-touch, glass front reaching Mohs 7, the glass surface is anti-glare treated (chemical etching) and a wide variety of connectors. All the monitors have VESA 75 or VESA 100 screw patterns on the back, while the 12.1" to 27" come with their own desktop stand included.

The perfect choice for a wide variety of applications: POS systems, control panels in industrial fields, in kiosk systems, office/residence automation, digital signage or shopping malls, classrooms and hotels.



FAYTECH AG | CATALOGUE 2022

**Connectors:**  
VGA, DP, HDMI, PC-Audio and USB-Touch

**Additional features:**  
OSD Menu with lockable front buttons, loudspeaker, stand

### Available Sizes

<u>Capacitive Touch Monitors</u>	<u>Case Sizes (L x W x H) mm</u>	<u>Model no.</u>
7" Touch Monitor	195.6 x 137.6 x 38.7	FT07TMCAPOB
8" Touch Monitor	201.0 x 160.5 x 35.7	FT08TMCAPOB
10" Touch Monitor	244.9 x 195.8 x 39.0	FT10TMCAPOB
10.1" Touch Monitor	278.0 x 203.6 x 33.3	FT101TMCAPOB
12.1" Touch Monitor	301.0 x 246.0 x 42.5	FT121TMCAPOB
13.3" Touch Monitor	338.2 x 220.7 x 32.3	FT133TMCAPOB
15" Touch Monitor	359.0 x 291.0 x 45.0	FT15TMCAPOB
15.6" Touch Monitor	389.3 x 246.8 x 33.3	FT156TMCAPOB
17" Touch Monitor	393.0 x 333.0 x 44.0	FT17TMCAPOB
19" Touch Monitor	431.5 x 364.5 x 43.0	FT19TMCAPOB
21.5" Touch Monitor	532.0 x 331.0 x 46.0	FT215TMCAPOB
24" Touch Monitor	579.4 x 347.0 x 41.5	FT24TMCAPOB
27" Touch Monitor	663.0 x 405.0 x 46.0	FT27TMCAPOB
32" Touch Monitor	768.0 x 475.0 x 63.7	FT32TMBCAPOB
43" Touch Monitor	1031.0 x 619.5 x 65.7	FT43TMBCAPOB
55" Touch Monitor	1268.0 x 741.0 x 66.0	FT55TMBCAPOB

ALSO AVAILABLE:  
RESISTIVE TOUCH  
MONITORS



Sizes for resistive:  
Available in: 7", 8", 10", 15", 17" and 19"

# 1. TOUCH MONITORS

## OPEN FRAME TOUCH MONITORS

### The perfect choice for industrial and business applications

The capacitive 10-finger multi-touch panel brings an easy user experience for a wide range of applications. Each model in this series is built for reliable and extended service by using an A+ quality HD LCD panel with energy efficient LED technology. It is equipped with a wide range of standard connectors, such as HDMI, DVI, VGA, USB-Touch, serial and DC-In.

The perfect interactive solution for digital signage, classrooms, meeting rooms, industrial automation, shopping malls, hotels and many other areas.



FAYTECH AG | CATALOGUE 2022

### Key Features

- 1.1mm cover glass with 7H surface hardness
- Optically Bonded Touch Panel to LCD Panel
- Anti-glare surface treatment (chemical etching)
- 10-Finger-Multi Touch Capacitive Touch Panel
- A+ quality LED backlight panels with 100k hours lifetime
- 1000+ cd/m2 brightness
- Integrated audio speakers (2x2w)
- 2 year guarantee (24/7 operation)

### Solid integration options:

Clamp Supports



Double-sided tape



SF50 glue



### Available sizes

<u>Capacitive Open Frame Touch Monitors</u>	<u>Case Sizes (L x W x H) mm</u>	<u>Model no.</u>
7" Touch Monitor	210.0 x 144.5 x 43.0	FT07TMCAPOFHBOB
11.6" Touch Monitor	297.0 x 194.0 x 39.1	FT116TMCAPOFHBOB
15" Touch Monitor	362.0 x 286.0 x 49.4	FT15TMCAPOFHBOB
15.6" Touch Monitor	400.0 x 260.0 x 40.1	FT156HDKTMBHBCAPOB
21.5" Touch Monitor	527.9 x 328.0 x 51.1	FT215TMCAPOFHBOB
32" Touch Monitor	757.0 x 464.0 x 59.4	FT32TMCAPOFHBOB
43" Touch Monitor	1020.0 x 608.5 x 64.1	FT43HDKTMCAPHBOB
55" Touch Monitor	1285.0 x 770.0 x 101.6	FT55HDKTMCAPHBOB4K

# 1. TOUCH MONITORS

## IP65 TOUCH MONITORS WITH ALL-IN-ONE CABLE

07


IP65 High Brightness Touch Monitors are the perfect solution for industrial and outdoor applications in harsh environments. The IP65 Monitors are available also as Resistive & Capacitive touch versions.

Key features:

- Comprehensive IP65 protection for applications under harsh circumstances, water and dustproof
- 1000+ cd/m<sup>2</sup> brightness for increased visibility even at extremely bright environmental conditions
- Extended voltage input 8~36V



12.1" IP65 High Brightness Touch Monitor: front, back and connectors.



### Available Sizes

<u>Resistive IP65 Touch Monitors</u>	<u>Case Sizes (L x W x H) _m</u>	<u>Model no.</u>
8" Touch Monitor	232.0 x 172.0 x 39.5	FT08TMIP65HDMI
10" Touch Monitor	257.2 x 196.4 x 39.5	FT10TMIP65HDMI
10.4" Touch Monitor	276.2 x 209.4 x 41.5	FT104TMIP65HDMI

<u>Capacitive IP65 Touch Monitors</u>	<u>Case Sizes (L x W x H) mm</u>	<u>Model no.</u>
12.1" Touch Monitor	301.0 x 246.0 x 53.0	FT121TMCAPIP65HBOB
15" Touch Monitor	389.4 x 313.4 x 48.0	FT15TMIP65CAPHBOB

\* other sizes available upon request and for projects!

ALSO AVAILABLE:  
IP65 TOUCH PCS FOR HARSH APPLICATIONS.

They include Individually protected IP65 Connectors for any environment!



# 2.TOUCH PC

## CAPACITIVE / EMBEDDED

## TOUCH PC

The Capacitive PC series stands out with a fanless silent operation, IP65 front panel design, high reliability and fine craftwork.

Flat edge to edge glass with IP65 water- and dust proof front panels. The perfect choice for a wide variety of business and industrial applications: POS systems, control panels in industrial fields, kiosk systems, office/residence automation, digital signage.

Suitable for many areas i.e. shopping malls, classrooms, and hotels. Available in: 7" - 55".



10" Capacitive Touch PC (i5-7300U)

#### Intel® Core™ i5-7300U CPU

- 8GB RAM memory
- 128GB Industrial SSD
- Windows 10 or Linux Ubuntu

#### ARM V40 QuadCore CPU

- 1GB RAM memory
- 8GB FLASH storage
- Android 6 or Linux Ubuntu



#### Intel® Pentium® N4200 CPU

- 8GB RAM memory
- 128GB Industrial SSD
- Windows 10 or Linux Ubuntu



### Key Features

- 1.1mm cover glass with 7H surface hardness
- Optically bonded Touch Panel to LCD Panel
- Anti-glare surface treatment (chemical etching)
- 10-Finger-Multi Touch Capacitive Touch Panel
- Patented IP65 front with silicon seal
- Integrated W-LAN
- 2 year guarantee (24/7 operation)

The heart of the Touchscreen PC is either faytech's industrial Apollo Lake, Kaby Lake U or the ARM V40 mainboard:

- Intel® Pentium® N4200 QuadCore processor, 2.50 GHz core
- Intel® Core™ i5-7300U DualCore Processor, 2.60 GHz core
- Allwinner® V40 Cortex™ A7 QuadCore Processor

### Available Sizes

Capacitive Touch Pcs	Available CPUs	Model no.*
7" Touch PC	"   N4200   V40  "	FT07[CPU]CAPOB
8" Touch PC	"    N4200    "	FT08[CPU]CAPOB
10" Touch PC	"  i5   N4200   V40  "	FT10[CPU]CAPOB
10.1" Touch PC	"  i5   N4200   V40  "	FT101[CPU]CAPOB
12.1" Touch PC	"    N4200    "	FT121[CPU]CAPOB
13.3" Touch PC	"  i5   N4200   V40  "	FT133[CPU]CAPOB
15" Touch PC	"  i5   N4200   V40  "	FT15[CPU]CAPOB
15.6" Touch PC	"  i5   N4200   V40  "	FT156[CPU]CAPOB
17" Touch PC	"  i5   N4200   V40  "	FT17[CPU]CAPOB
19" Touch PC	"  i5   N4200   V40  "	FT19[CPU]CAPOB
21.5" Touch PC	"  i5   N4200   V40  "	FT215[CPU]CAPOB
24" Touch PC	"  i5   N4200   V40  "	FT24[CPU]CAPOB
27" Touch PC	"  i5   N4200   V40  "	FT27[CPU]CAPOB
32" Touch PC	"  i5   N4200   V40  "	FT32[CPU]CAPOB

\*[CPU], code info (remove brackets for correct model number [ ]):

- [N4200] = Intel Pentium N4200 CPU
- [I5] = Intel Core i5-7300U CPU
- [V40] = ARM V40 QuadCore CPU

# 2.TOUCH PC

## RESISTIVE TOUCH PCS

### Silent, but robust - perfect for a wide range of applications

Fan-less silent operation and robust aluminum housing with stable VESA 100 fixation bolts. Powered by faytech's industrial Apollo Lake mainboard. Driven by the Intel® Celeron® N3350 DualCore processor with up to 2.40 GHz clock frequency.

This version is equipped with 4GByte RAM, 128G SSD and Intel's HD Graphic chipset, supporting Full HD, DirectX 11.1 and OpenGL 4.0.

For a wide variety of applications including POS systems, control panels in industrial fields, in kiosk systems, office/residence automation and digital signage. Suitable for many areas i.e. shopping malls, classrooms and hotels.



17" Resistive Touch PC (N3350)

### Key Features

- Intel® Celeron® N3350 DualCore CPU
- 4 GB RAM memory, 128GB Industrial SSD
- Supports Windows 10 & Linux Ubuntu
- Anti-glare front with 3H surface hardness
- 5-Wire Resistive touch technology
- High-quality black aluminum housing
- Standard and 3-Pin power connector (screwable)
- Integrated W-LAN
- 2 years guarantee (24/7 operation)

### Available Sizes

<u>Resistive Touch PCs</u>	<u>Case Sizes (L x W x H) mm</u>	<u>Model no.</u>
8" Touch PC	216.0 x 183.0 x 57.0	FT08N3350RES
10" Touch PC	259.0 x 206.0 x 53.5	FT10N3350RES
12.1" Touch PC	304.0 x 214.0 x 51.0	FT121N3350RES
15" Touch PC	368.0 x 288.0 x 58.4	FT15N3350RES
17" Touch PC	397.0 x 325.0 x 60.9	FT17N3350RES
19" Touch PC	468.0 x 314.0 x 62.9	FT19N3350RES

# 3.SPECIAL PRODUCTS

## DIGITAL SIGNAGE & KIOSK SOLUTIONS


10

Perfect for applications for Point of Sales (POS), information display or digital signage. Whether you wish to place it next to the brand new car in your store as information display, next to one of your highly promoted cosmetic products or at the entrance of your company building, this is the perfect solution for anyone who requires a slim, easy-to-operate and modern looking kiosk.

- Easy to operate Straight Out-of-the-Box
- Capacitive Multi-touch
- Ultra Slim Design
- Embedded Solution possible
- Peripherals available



Optional:



32", 43" and 55" Capacitive Touch Monitor Kiosks

Also available as:

### 43" Customer Stopper

- Rockchip RK3399 inside
- Android OS
- Without touch

### 10.1" Free-Standing Kiosk

- ARM V40 inside
- Android OS
- Capacitive Multi-Touch

# 3.SPECIAL PRODUCTS

## INDUSTRIAL IP65 TABLET

faytech's 10.1" industrial (ruggedized) tablet is the perfect touch solution to be used as a hand-held device (or mounted pc) while performing tasks on the industrial floor or in rough environments. It is completely IP65 water- and dust proof, has a 10-finger capacitive multi touch panel and 24/7 antimicrobial coating by Kastus®, with a kill rate of >99% against surface bacteria, traditional viruses, and human coronavirus (3-in-1 protection)

Besides the mobile solution, the device can also be used as a permanently installed control panel. Windows 10 is pre-installed on the device (not activated).

### Key Features

- Intel® Pentium® N4200 QuadCore CPU
- 6GB RAM memory, 128GB industrial SSD
- Pre-installed Windows 10 operating system (not activated)
- Rechargeable lithium battery, 7.4V/6000mAh (8.5+ hours operation)

### Available Accessories

Docking Station



VESA 75 back plate



Capacitive Touch Stylus



Hand Strap



11

# 3.SPECIAL PRODUCTS

## HYGIENIC SOLUTIONS

12


The hygienic solutions are perfect for retail areas, restaurants, hospitality and other service industries, as well as government agencies and institutions. The two solutions support in keeping both your organization and clients safe and healthy while allowing for your business to serve its critical functions. The software to operate the Peripherals is included!

In such an uncertain time, keeping your clients informed, engaged and sanitized has never been more important!

Antibacterial & Antiviral Coating available!



We can provide next-generation touchscreens with 24/7 germ-free protection coating technology from Kastus®! The coated surface permanently blocks >99% of all bacteria and viruses. Proven results against MRSA, E.coli, C. diff. and human Coronavirus.



### 10.1" Thermal Temperature Testing PC

- Intel® Celeron® N3350 or Rockchip RK3399
- Thermal Sensor
- Full HD Camera
- RFID Reader
- VESA Mounting

### 21.5" Digital Signage Sanitization Station

- Intel® Pentium® N4200 or Monitor version
- Thermal Sensor
- Full HD Camera
- Hand Sanitizer
- Wallmount / Stand

# 3.SPECIAL PRODUCTS

## INTERACTIVE MIRROR


# 13

### Sleek Design and Smart Features

faytech's interactive mirrors are the perfect solution for public or private bathrooms, in hotels, shopping malls, airplanes or any other field that requires a smart mirror.

The device is powered by the powerful Embedded V40 mainboard with pre-installed Android system and software to control the whole mirror.

It can be easily connected to your smart device, e.g. smartphone, using Bluetooth 4.0 or WiFi. It can also be used as a standalone android device.



15.6" Interactive Mirror



Interactive Mirror installed in bathroom

### Key Features

- Allwinner® V40 Cortex™ A7 QuadCore
- 1 GB DDR3 RAM & 8 GB EMMC FLASH
- Supports Android up to version 6.0
- Built-in Bluetooth 4.0 & W-LAN
- Optically bonded Touch Panel to LCD Panel
- 10-Finger-Multi Touch Capacitive Touch Panel
- Comprehensive IP65 protection
- Software to operate the interactive mirror



# 3.SPECIAL PRODUCTS

## FAYTECH FLAT

# 14

### The perfect solution for activities that require an extra screen

This lightweight portable monitor, also known as faytech flat, is the perfect solution for people that require an extra screen while doing their day-to-day activities. Whether you connect it to your mobile phone, tablet or laptop, it is an easy and convenient way to extend (or duplicate) the screen of your smart device over USB Type-C or HDMI cable.

Included with the device is a flexible stand, USB Type-C cable (1m) and protection case.



12.5" faytech flat Touch Monitor



Profile and Back of Faytech Flat

### Key Features

- Full HD (1920 x 1080) LCD Panel
- Touch monitor for people on-the-go
- 10-Finger-Multi Touch Capacitive Touch Panel
- Optically bonded Touch Panel to LCD Panel
- Weight of around 400 grams
- Plug and play ready
- Compatible with Capacitive Touch Pen

# 3.SPECIAL PRODUCTS

## EASY SHOPPER

The EASY Shopper is the perfect solution for supermarket automation or any other similar application. It gives customers, store managers and retailers a complete new experience to shopping!

The EASY Shopper is basically the 'All-in-One' tool for any large supermarket wishing to be one step ahead from their competitors.




15

[See Complete EASY Shopper Presentation here!](#)

### Benefits Store Managers

The most innovative in-store shopping solution with sophisticated technology and high user acceptance rate.

- Reduces costs - fewer cashiers, more cashless payments and lower theft rate;
- Effective use of space - more space for promotions and enhancements;
- Customer focus - more time available to dedicate to customer service;
- Better day-to-day business - targeted promotions and improved price management.



### Benefits Clients

The smartest in-store shopping experience which enables customers to control the entire shopping process.

- Saves time - no need to queue or unbag items at cashier;
- Saves money - all special offers and discounts at a glance;
- It is convenient - search and navigate to specific products;
- It is effective - integrated and transferable shopping list.

### ALSO AVAILABLE: EASY SHOPPER LIGHT

- Cost-effective and easy to integrate
- Medium stores 1,000 m<sup>2</sup>+ (10k ft<sup>2</sup>)
- Attachable touch-screen
- Built-in barcode scanner



# Customization / Optical Bonding

16

High performing technology - customizable


What is Optical Bonding?

Optical bonding is the process of filling up the airgap between the cover glass / touch panel and LCD to improve the visual and material features and with it the quality and value of the bonded device.

Why Optical Bonding?

- It reduces reflections by ca 65%;
- It enhances the perceived LCD brightness by up to 10%;
- No humidity or dust is able to enter between the touch panel and LCD cell;
- Additional resistance towards environmental forces onto the glass.

Air Bonding vs. Optical Bonding



Should you see this logo, you can be sure the device is optically bonded and meets the highest quality standards in the market!



## Customization Options

Due to our broad manufacturing capabilities and experienced engineers, we can custom-design and produce any touch device for your project:

- RFID, fingerprint or laser scanner;
- Integrated camera;
- Customized buttons;
- Customized connectors;
- Different mounting options;
- Anti-Microbial coating options;
- Bluetooth, 3G, 4G and Wi-Fi;
- Pick your own faytech mainboard;
- Other added peripheral possibilities;
- Complete IP65 water- & dustproof.

# Clients

We are happy and grateful for all our collaborations around the world.

17



# Contact

faytech relies on German Engineering standards combined Asian manufacturing at attractive prices. Adding the reliable local service, faytech offers one of the most interesting packages in the touch-device industry.

**faytech North America North**  
American Headquarters  
237-239 West 29th Street,  
Ground Floor  
New York, NY 10001  
sales@faytech.us

**faytech AG**  
Corporate Headquarters  
Bisshäuser Aue 10  
37213 Witzhausen  
Germany  
sales@faytech.de

**faytech Tech Co., Ltd.**  
Asian Headquarters  
Floor 2 & 3, Building D., Hongmen  
Tech. Zone, Jihua Rd., Shenzhen,  
China 518129  
sales@faytech.com

**faytech Inc.**  
Sales & Service Office  
6th floor CI building 1-7-11  
Higashinonbashi, Chuoku,  
Tokyo, Japan  
sales@faytech.jp

**Website:**  
www.faytech.com

**European B2B Webshop:**  
b2b.faytech.de

**YouTube:**  
faytechTouchDevices



## **faytech Private Limited**

Sales & Service Office  
3/16 Shanti Niketan  
New Delhi 110021  
India  
sales@faytech.co.in

## **Deutsche faytech Korea**

Sales & Service Office  
7F, Startup Campus 1 dong,  
Pangyo-ro 289 beon-gil 20,  
Bundang-gu, Seongnam-si,  
Gyeonggi-do, 13488, Republic of Korea  
sales@faytech.kr

## **Technical questions & support**

Worldwide support:  
support@faytech.com (English, German, Chinese)

### Support hotlines:

Germany: +49 5542 30374 10 (English, German)

USA: +1 646 205 3214 (English)

China: +86 755 89580612 (English, German, Chinese)

India: +91 11 49707436 (English, Hindi)

Japan: +81 366 722 920 (English, Chinese, Japanese)

South-Korea: +82 10 3479 1815 (English, Korean)

# 18